
# Chapter 3 Convolution Representation

#### DT Unit-Impulse Response

• Consider the DT SISO system:



• If the input signal is  $x[n] = \delta[n]$  and the system has no energy at n = 0, the output y[n] = h[n] is called the impulse response of the system

$$\mathcal{S}[n] \longrightarrow \text{System} \longrightarrow h[n]$$


#### Example

Consider the DT system described by

$$y[n] + ay[n-1] = bx[n]$$

• Its impulse response can be found to be

$$h[n] = \begin{cases} (-a)^n b, & n = 0, 1, 2, \dots \\ 0, & n = -1, -2, -3, \dots \end{cases}$$




### Representing Signals in Terms of Shifted and Scaled Impulses

- Let x[n] be an arbitrary input signal to a DT LTI system
- Suppose that x[n] = 0 for n = -1, -2, ...
- This signal can be represented as

$$x[n] = x[0]\delta[n] + x[1]\delta[n-1] + x[2]\delta[n-2] + \cdots$$
$$= \sum_{i=0}^{\infty} x[i]\delta[n-i], \quad n = 0,1,2,\dots$$

# Exploiting Time-Invariance and Linearity



$$y[n] = \sum_{i=0}^{\infty} x[i]h[n-i], \quad n \ge 0$$

#### The Convolution Sum


This particular summation is called the convolution sum

$$y[n] = \sum_{i=0}^{\infty} x[i]h[n-i]$$
$$x[n] * h[n]$$

- Equation y[n] = x[n] \* h[n] is called the convolution representation of the system
- Remark: a DT LTI system is completely described by its impulse response h[n]

# Block Diagram Representation of DT LTI Systems

• Since the impulse response *h*[*n*] provides the complete description of a DT LTI system, we write




# The Convolution Sum for Noncausal Signals

- Suppose that we have two signals x[n] and v[n] that are not zero for negative times (noncausal signals)
- Then, their convolution is expressed by the two-sided series

$$y[n] = \sum_{i=-\infty}^{\infty} x[i]v[n-i]$$


# Example: Convolution of Two Rectangular Pulses

• Suppose that both x[n] and v[n] are equal to the rectangular pulse p[n] (causal signal) depicted below




#### The Folded Pulse


• The signal v[-i] is equal to the pulse p[i] folded about the vertical axis




### Sliding v[n-i] over x[i]



### Sliding v[n-i] over x[i] - Cont'd



### Plot of x[n]\*v[n]



#### Properties of the Convolution Sum

Associativity

$$x[n]*(v[n]*w[n]) = (x[n]*v[n])*w[n]$$

Commutativity

$$x[n] * v[n] = v[n] * x[n]$$

• Distributivity w.r.t. addition

$$x[n]*(v[n]+w[n]) = x[n]*v[n]+x[n]*w[n]$$

### Properties of the Convolution Sum - Cont'd

• Shift property: define

then

$$\begin{cases} x_q[n] = x[n-q] \\ v_q[n] = v[n-q] \\ w[n] = x[n] * v[n] \end{cases}$$

$$w[n-q] = x_q[n] * v[n] = x[n] * v_q[n]$$

Convolution with the unit impulse


$$x[n] * \delta[n] = x[n]$$

Convolution with the shifted unit impulse

$$x[n] * \delta_q[n] = x[n-q]$$

### Example: Computing Convolution with *Matlab*

Consider the DT LTI system



• impulse response:

$$h[n] = \sin(0.5n), \quad n \ge 0$$


• input signal:

$$x[n] = \sin(0.2n), \quad n \ge 0$$

### Example: Computing Convolution with *Matlab* – Cont'd

$$h[n] = \sin(0.5n), \quad n \ge 0$$

$$x[n] = \sin(0.2n), \quad n \ge 0$$



### Example: Computing Convolution with *Matlab* – Cont'd


• Suppose we want to compute y[n] for n = 0, 1, ..., 40

• *Matlab* code:

```
n=0:40;
x=sin(0.2*n);
h=sin(0.5*n);
y=conv(x,h);
stem(n,y(1:length(n)))
```


### Example: Computing Convolution with *Matlab* – Cont'd

$$y[n] = x[n] * h[n]$$



#### CT Unit-Impulse Response

• Consider the CT SISO system:



• If the input signal is  $x(t) = \delta(t)$  and the system has no energy at  $t = 0^-$ , the output y(t) = h(t) is called the impulse response of the system

$$\delta(t) \longrightarrow \text{System} \longrightarrow h(t)$$

#### **Exploiting Time-Invariance**


- Let x[n] be an arbitrary input signal with x(t) = 0, for t < 0
- Using the sifting property of  $\delta(t)$ , we may write


$$x(t) = \int_{0^{-}}^{\infty} x(\tau) \delta(t - \tau) d\tau, \quad t \ge 0$$

• Exploiting time-invariance, it is

$$\delta(t-\tau)$$
 System  $h(t-\tau)$ 

### **Exploiting Time-Invariance**





#### **Exploiting Linearity**

• Exploiting linearity, it is

$$y(t) = \int_{0^{-}}^{\infty} x(\tau)h(t-\tau)d\tau, \quad t \ge 0$$

• If the integrand  $x(\tau)h(t-\tau)$  does not contain an impulse located at  $\tau = 0$ , the lower limit of the integral can be taken to be 0,i.e.,

$$y(t) = \int_{0}^{\infty} x(\tau)h(t-\tau)d\tau, \quad t \ge 0$$

#### The Convolution Integral

This particular integration is called the convolution integral


$$y(t) = \int_{0}^{\infty} x(\tau)h(t-\tau)d\tau, \quad t \ge 0$$

$$x(t) * h(t)$$

- Equation y(t) = x(t) \* h(t) is called the convolution representation of the system
- Remark: a CT LTI system is completely described by its impulse response h(t)


# Block Diagram Representation of CT LTI Systems

• Since the impulse response h(t) provides the complete description of a CT LTI system, we write



# Example: Analytical Computation of the Convolution Integral

• Suppose that x(t) = h(t) = p(t), where p(t) is the rectangular pulse depicted in figure




• In order to compute the convolution integral

$$y(t) = \int_{0}^{\infty} x(\tau)h(t-\tau)d\tau, \quad t \ge 0$$


we have to consider four cases:

• Case 1:  $t \le 0$ 




$$y(t) = 0$$

• Case 2:  $0 \le t \le T$ 




$$y(t) = \int_{0}^{t} d\tau = t$$

• Case 3:  $0 \le t - T \le T \rightarrow T \le t \le 2T$ 




$$y(t) = \int_{t-T}^{T} d\tau = T - (t - T) = 2T - t$$

• Case 4:  $T \le t - T \rightarrow 2T \le t$ 



$$y(t) = 0$$



#### Properties of the Convolution Integral

Associativity

$$x(t)*(v(t)*w(t)) = (x(t)*v(t))*w(t)$$

Commutativity

$$x(t) * v(t) = v(t) * x(t)$$

• Distributivity w.r.t. addition

$$x(t)*(v(t)+w(t)) = x(t)*v(t)+x(t)*w(t)$$

# Properties of the Convolution Integral - Cont'd

• Shift property: define

then

$$\begin{cases} x_q(t) = x(t - q) \\ v_q(t) = v(t - q) \\ w(t) = x(t) * v(t) \end{cases}$$

$$w(t-q) = x_q(t) * v(t) = x(t) * v_q(t)$$

Convolution with the unit impulse

$$x(t) * \delta(t) = x(t)$$

Convolution with the shifted unit impulse

$$x(t) * \delta_q(t) = x(t-q)$$

# Properties of the Convolution Integral - Cont'd

• Derivative property: if the signal x(t) is differentiable, then it is

$$\frac{d}{dt} \left[ x(t) * v(t) \right] = \frac{dx(t)}{dt} * v(t)$$

• If both x(t) and v(t) are differentiable, then it is also

$$\frac{d^2}{dt^2} \left[ x(t) * v(t) \right] = \frac{dx(t)}{dt} * \frac{dv(t)}{dt}$$

# Properties of the Convolution Integral - Cont'd

• Integration property: define


$$\begin{cases} x^{(-1)}(t) \doteq \int_{-\infty}^{t} x(\tau) d\tau \\ v^{(-1)}(t) \doteq \int_{-\infty}^{t} v(\tau) d\tau \end{cases}$$

then

$$(x*v)^{(-1)}(t) = x^{(-1)}(t)*v(t) = x(t)*v^{(-1)}(t)$$

### Representation of a CT LTI System in Terms of the Unit-Step Response

• Let g(t) be the response of a system with impulse response h(t) when x(t) = u(t) with no initial energy at time t = 0, i.e.,



• Therefore, it is

$$g(t) = h(t) * u(t)$$

# Representation of a CT LTI System in Terms of the Unit-Step Response — Cont'd

Differentiating both sides

$$\frac{dg(t)}{dt} = \frac{dh(t)}{dt} * u(t) = h(t) * \frac{du(t)}{dt}$$

Recalling that

$$\frac{du(t)}{dt} = \delta(t) \quad \text{and} \quad h(t) = h(t) * \delta(t)$$

it is 
$$\frac{dg(t)}{dt} = h(t)$$
 or  $g(t) = \int_{0}^{t} h(\tau) d\tau$